Genome

Contents
Volume 43, 2000

Génome

Sommaire
Volume 43, 2000

February / février

ARTICLES

K. Kasai, Y. Morikawa, V.A. Sorri, J.P.T. Valkonen, C. Gebhardt, and K.N. Watanabe Development of SCAR markers to the PVY resistance gene Ry_{adg} based on a common feature of plant disease resistance genes 1

J. Cañizares, M. Grau, N. Paricio, and M.D. Moltó *Tirant* is a new member of the *gypsy* family of retrotransposons in *Drosophila melanogaster* 9

L. Perera, J.R. Russell, J. Provan, and W. Powell Use of microsatellite DNA markers to investigate the level of genetic diversity and population genetic structure of coconut (*Cocos nucifera* L.) 15

J.F. Sánchez-Gea, J. Serrano, and J. Galián Variability in rDNA loci in Iberian species of the genus *Zabrus* (Coleoptera: Carabidae) detected by fluorescence in situ hybridization 22

V. Saliba-Colombani, M. Causse, L. Gervais, and J. Philouze Efficiency of RFLP, RAPD, and AFLP markers for the construction of an intraspecific map of the tomato genome 29

I. Scotti, F. Magni, R. Fink, W. Powell, G. Binelli, and P.E. Hedley Microsatellite repeats are not randomly distributed within Norway spruce (*Picea abies* K.) expressed sequences 41

A. Vanichanon, N.K. Blake, J.M. Martin, and L.E. Talbert Properties of sequence-tagged-site primer sets influencing repeatability 47

H.G. Zheng, R.C. Babu, Md., M.S. Pathan, L. Ali, N. Huang, B. Courtois, and H.T. Nguyen Quantitative trait loci for root-penetration ability and root thickness in rice: Comparison of genetic backgrounds 53

M.C. Suárez, A. Bernal, J. Gutiérrez, J. Tohme, and M. Fregene Developing expressed sequence tags (ESTs) from polymorphic transcript-derived fragments (TDFs) in cassava (*Manihot esculenta* Crantz) 62

G.G. Vendramin, M. Anzidei, A. Madaghiele, C. Sperisen, and G. Bucci Chloroplast microsatellite analysis reveals the presence of population subdivision in Norway spruce (*Picea abies* K.) 68

B.R. Baum and L.G. Bailey The 5S rRNA gene diversity in *Kengyilia rigidula* (Keng and S.L. Chen) J.L. Yang, Yen, and Baum (Poaceae: Triticeae): Possible contribution of the H genome to the origin of *Kengyilia* 79

M.A. Graham, L.F. Marek, D. Lohnes, P. Cregan, and R.C. Shoemaker Expression and genome organization of resistance gene analogs in soybean 86

H. Jin, L.L. Domier, X. Shen, and F.L. Kolb Combined AFLP and RFLP mapping in two hexaploid oat recombinant inbred populations 94

Y. Wu, L. Tulsieram, Q. Tao, H.-B. Zhang, and S.J. Rothstein A binary vector-based large insert library for *Brassica napus* and identification of clones linked to a fertility restorer locus for *Ogura* cytoplasmic male sterility (CMS) 102

M. Lakshmi, M. Parani, N. Ram, and A. Parida Molecular phylogeny of mangroves VI. Intraspecific genetic variation in mangrove species *Excoecaria agallocha* L. (Euphorbiaceae) 110

R.L. Charlebois, R.K. Singh, C.C.-Y. Chan-Weiher, G. Allard, C. Chow, F. Confalonieri, B. Curtis, M. Duguet, G. Erauso, D. Faguy, T. Gaasterland, R.A. Garrett, P. Gordon, A.C. Jeffries, C. Kozera, N. Kushwaha, É. Lafleur, N. Medina, X. Peng, S.L. Penny, Q. She, A. St. Jean, J. van der Oost, F. Young, Y. Zivanovic, W.F. Doolittle, M.A. Ragan, and C.W. Sensen Gene content and organization of a 281-kbp contig from the genome of the extremely thermophilic archaeon, *Sulfolobus solfataricus* P2 116

B. Moury, S. Pflieger, A. Blattes, V. Lefebvre, and A. Palloix A CAPS marker to assist selection of tomato spotted wilt virus (TSWV) resistance in pepper 137

C.C.L. Ramírez and E.M.B. Dessen Chromosomal evidence for sibling species of the malaria vector *Anopheles cruzii* 143

T.L. Haffie, Y.M. Reitmeier, and D.B. Walden Characterization of university-level introductory genetics courses in Canada 152

M. Thiéry and D. Mugniéry Microsatellite loci in the phytoparasitic nematode *Globodera* 160

A. Mariani, P. Campanoni, S. Gianì, and D. Breviario Meiotic mutants of *Medicago sativa* show altered levels of α- and β-tubulin 166

A. Bardhan and T. Sharma Sequential meiotic prophase development in the pubertal Indian pygmy field mouse: Synaptic progression of the XY chromosomes, autosomal heterochromatin, and pericentric inversions **172**

C.-X. Chen, H.-H. Yan, W.-X. Zhai, L.-H. Zhu, and J.-S. Sun Identification and chromosomal location of a new tandemly repeated DNA in maize **181**

J. Perez, P. Moran, and E. Garcia-Vazquez Isolation, characterization, and chromosomal location of the $tRNA^{Met}$ genes in Atlantic salmon (*Salmo salar*) and brown trout (*Salmo trutta*) **185**

R.N. Sarma, L. Fish, B.S. Gill, and J.W. Snape Physical characterization of the homoeologous Group 5 chromosomes of wheat in terms of rice linkage blocks, and physical mapping of some important genes **191**

J. Song, F. Dong, and J. Jiang Construction of a bacterial artificial chromosome (BAC) library for potato molecular cytogenetics research **199**

NOTES

C. Bonnet, E. Perret, O. Bonnin, A. Picard, D. Caput, and G. Lenaers Identification of *rpaP1–5* and *rpaP2–6* genes encoding two additional variants of the 60S acidic ribosomal proteins of *Schizosaccharomyces pombe* **205**

M.J.M. Smulders, W. Rus-Kortekaas, and B. Vosman Microsatellite markers useful throughout the genus *Dianthus* **208**

A.E. Vinogradov Larger genomes for molluskan land pioneers **211**

G. Drouin Expressed retrotransposed 5S rRNA genes in the mouse and rat genomes **213**

Instructions to Authors **I-1**

Recommandations aux auteurs **R-1**

April / avril

ARTICLES

A. Laroche, T. Demeke, D.A. Gaudet, B. Puchalski, M. Frick, and R. McKenzie Development of a PCR marker for rapid identification of the *Bt-10* gene for common bunt resistance in wheat **217**

S.J. Molnar, L.E. James, and K.J. Kasha Inheritance and RAPD tagging of multiple genes for resistance to net blotch in barley **224**

G. Jiménez, S. Manzanero, and M.J. Puertas Relationship between pachytene synapsis, metaphase I associations, and transmission of 2B and 4B chromosomes in rye **232**

P.K. Subudhi and H.T. Nguyen Linkage group alignment of sorghum RFLP maps using a RIL mapping population **240**

R.G. Allaby and T.A. Brown Identification of a 5S rDNA spacer type specific to *Triticum urartu* and wheats containing the *T. urartu* genome **250**

L.G. Cook Extraordinary and extensive karyotypic variation: A 48-fold range in chromosome number in the gall-inducing scale insect *Apiomorpha* (Hemiptera: Coccoidea: Eriococcidae) **255**

L. Yan, M. Bhave, R. Fairclough, C. Konik, S. Rahman, and R. Appels The genes encoding granule-bound starch synthases at the *waxy* loci of the A, B, and D progenitors of common wheat **264**

M. Horáková and J. Fajkus *TAS49*—a dispersed repetitive sequence isolated from subtelomeric regions of *Nicotiana tomentosiformis* chromosomes **273**

B.S. Haller and R.C. Woodruff Varied expression of a Y-linked P[w^+] insert due to imprinting in *Drosophila melanogaster* **285**

M.H. Rahman, S. Dayanandan, and O.P. Rajora Microsatellite DNA markers in *Populus tremuloides* **293**

X. Huang, F.J. Zeller, S.L.K. Hsam, G. Wenzel, and V. Mohler Chromosomal location of AFLP markers in common wheat utilizing nulli-tetrasomic stocks **298**

A. Pavesi, A. Ficarelli, F. Tassi, and F.M. Restivo Cloning of two glutamate dehydrogenase cDNAs from *Asparagus officinalis*: Sequence analysis and evolutionary implications **306**

P.A. Crockett, P.L. Bhalla, C.K. Lee, and M.B. Singh RAPD analysis of seed purity in a commercial hybrid cabbage (*Brassica oleracea* var. *capitata*) cultivar **317**

S.K. Katiyar, G. Chandel, Y. Tan, Y. Zhang, B. Huang, L. Nugaliyadde, K. Fernando, J.S. Bentur, S. Inthavong, S. Constantino, and J. Bennett Biodiversity of Asian rice gall midge (*Orseolia oryzae* Wood Mason) from five countries examined by AFLP analysis **322**

M.A. Dalbó, G.N. Ye, N.F. Weeden, H. Steinkellner, K.M. Sefc, and B.I. Reisch A gene controlling sex in grapevines placed on a molecular marker-based genetic map **333**

R. Barzotti, F. Pelliccia, E. Bucciarelli, and A. Rocchi Organization, nucleotide sequence, and chromosomal mapping of a tandemly repeated unit containing the four core histone genes and a 5S rRNA gene in an isopod crustacean species **341**

P. Castagnone-Sereno, F. Leroy, and P. Abad Cloning and characterization of an extremely conserved satellite DNA family from the root-knot nematode *Meloidogyne arenaria* **346**

T. Tozaki, S. Inoue, S. Mashima, M. Ohta, N. Miura, and M. Tomita Sequence analysis of trinucleotide repeat microsatellites from an enrichment library of the equine genome **354**

C. Verriès, C. Bès, P. This, and C. Tesnière Cloning and characterization of *Vine-1*, a LTR-retrotransposon-like element in *Vitis vinifera* L., and other *Vitis* species **366**

K. Järve, H.O. Peusha, J. Tsymbalova, S. Tamm, K.M. Devos, and T.M. Enno Chromosomal location of a *Triticum timopheevii* - derived powdery mildew resistance gene transferred to common wheat **377**

V. Sievert, S. Kuhn, A. Paululat, and W. Traut Sequence conservation and expression of the *Sex-lethal* homologue in the fly *Megaselia scalaris* **382**

F. Shibata, M. Hizume, and Y. Kuroki Molecular cytogenetic analysis of supernumerary heterochromatic segments in *Rumex acetosa* **391**

M. Cao, D.A. Sleper, F. Dong, and J. Jiang Genomic in situ hybridization (GISH) reveals high chromosome pairing affinity between *Lolium perenne* and *Festuca mairei* **398**

NOTES

Z.-Y. Li, S.-Y. Chen, X.-W. Zheng, and L.-H. Zhu Identification and chromosomal localization of a transcriptionally active retrotransposon of Ty3-*gypsy* type in rice **404**

A. González-Tizón, A. Martínez-Lage, J. Ausio, and J. Méndez Polyploidy in a natural population of mussel, *Mytilus trossulus* **409**

Z.-N. Yang and T.E. Mirkov Isolation of large terminal sequences of BAC inserts based on double-restriction-enzyme digestion followed by anchored PCR **412**

June / juin

ARTICLES

T.-Y. Chiang and B.A. Schaal Molecular evolution and phylogeny of the *atpB–rbcL* spacer of chloroplast DNA in the true mosses **417**

S.J. Hsu and R.P. Erickson Construction of a long-range YAC physical map spanning the 10-cM region between the markers *D18Mit109* and *D18Mit68* on mouse proximal chromosome 18 **427**

Q. Zhou, P.M. Untalan, and D.S. Haymer Repetitive A–T rich DNA sequences from the Y chromosome of the Mediterranean fruit fly, *Ceratitis capitata* **434**

P.D. Khasa, C.H. Newton, M.H. Rahman, B. Jaquish, and B.P. Dancik Isolation, characterizaton, and inheritance of microsatellite loci in alpine larch and western larch **439**

E.M. Temsch and J. Greilhuber Genome size variation in *Arachis hypogaea* and *A. monticola* re-evaluated **449**

D. Sillito, I.A.P. Parkin, R. Mayerhofer, D.J. Lydiate, and A.G. Good *Arabidopsis thaliana*: A source of candidate disease-resistance genes for *Brassica napus* **452**

W. Xu, P.K. Subudhi, O.R. Crasta, D.T. Rosenow, J.E. Mullet, and H.T. Nguyen Molecular mapping of QTLs conferring stay-green in grain sorghum (*Sorghum bicolor* L. Moench) **461**

A.M. Kiers, T.H.M. Mes, R. van der Meijden, and K. Bachmann A search for diagnostic AFLP markers in *Cichorium* species with emphasis on endive and chicory cultivar groups **470**

A.A. Khan, G.C. Bergstrom, J.C. Nelson, and M.E. Sorrells Identification of RFLP markers for resistance to wheat spindle streak mosaic bymovirus (WSSMV) disease **477**

C. Rampitsch, M.C. Jordan, and S. Cloutier A matrix attachment region is located upstream from the high-molecular-weight glutenin gene *Bx7* in wheat (*Triticum aestivum* L.) **483**

P. Sourdille, J.W. Snape, T. Cadalen, G. Charmet, N. Nakata, S. Bernard, and M. Bernard Detection of QTLs for heading time and photoperiod response in wheat using a doubled-haploid population **487**

R.K. Birhman and K. Hosaka Production of inbred progenies of diploid potatoes using an *S*-locus inhibitor (*Sli*) gene, and their characterization **495**

N. Asakura, C. Nakamura, and I. Ohtsuka Homoeoallelic gene *Ncc-tmp* of *Triticum timopheevii* conferring compatibility with the cytoplasm of *Aegilops squarrosa* in the tetraploid wheat nuclear background **503**

R. Testolin, T. Marrazzo, G. Cipriani, R. Quarta, I. Verde, M.T. Dettori, M. Pancaldi, and S. Sansavini Microsatellite DNA in peach (*Prunus persica* L. Batsch) and its use in fingerprinting and testing the genetic origin of cultivars **512**

H. Kupfer and D. Wise Behavior of sex chromosomes, autosomes, and the spindle during nonrandom segregation in a flea beetle **521**

G. Barcaccia, E. Albertini, D. Rosellini, S. Tavoletti, and F. Veronesi Inheritance and mapping of 2*n*-egg production in diploid alfalfa **528**

K.R. Lindner, J.E. Seeb, C. Habicht, K.L. Knudsen, E. Kretschmer, D.J. Reedy, P. Spruell, and F.W. Allendorf Gene–centromere mapping of 312 loci in pink salmon by half-tetrad analysis **538**

C.G. Elsik, V.T. Minihan, S.E. Hall, A.M. Scarpa, and C.G. Williams Low-copy microsatellite markers for *Pinus taeda* L. **550**

P.P. Ueng, A. Hang, H. Tsang, J.M. Vega, L. Wang, C.S. Burton, F.T. He, and B. Liu Molecular analyses of a repetitive DNA sequence in wheat (*Triticum aestivum* L.) **556**

B.R. Lanoue, M.D. Gordon, R. Battye, and J.R. Jacobs Genetic analysis of *vein* function in the *Drosophila* embryonic nervous system **564**

R. Hasterok and J. Maluszynska Nucleolar dominance does not occur in root tip cells of allotetraploid *Brassica* species **574**

NOTES

J. de la Torre, A. Martínez-Ramírez, J.L. Fernández, J.L. Díez-Martín, A. Gómez-Pineda, J. Gosálvez, and C. López-Fernández A PCR product derived from female DNA with regional localization on the Y chromosome **580**

P. Brzuzan Tandemly repeated sequences in mtDNA control region of whitefish, *Coregonus lavaretus* **584**

August / août

ARTICLES

T. Inukai, A. Sako, H.-Y. Hirano, and Y. Sano Analysis of intragenic recombination at *wx* in rice: Correlation between the molecular and genetic maps within the locus **589**

M. Fernández, C. Polanco, M.L. Ruiz, and M. Pérez de la Vega A comparative study of the structure of the rDNA intergenic spacer of *Lens culinaris* Medik., and other legume species **597**

C.A. Hasenkampf, A.A. Taylor, N.U. Siddiqui, and C.D. Riggs *meiotin-1* gene expression in normal anthers and in anthers exhibiting prematurely condensed chromosomes **604**

P.A. Ritchie and D.M. Lambert A repeat complex in the mitochondrial control region of Adélie penguins from Antarctica **613**

A.G. McCubbin, X. Wang, and T.-h. Kao Identification of self-incompatibility (*S*-) locus linked pollen cDNA markers in *Petunia inflata* **619**

J.-Z. Lin The relationship between loci for mating system and fitness-related traits in *Mimulus* (Scrophulariaceae): A test for deleterious pleiotropy of QTLs with large effects **628**

T.H.M. Mes, P. Kuperus, J. Kirschner, J. Stepanek, P. Oosterveld, H. Storchova, and J.C.M. den Nijs Hairpins involving both inverted and direct repeats are associated with homoplasious indels in non-coding chloroplast DNA of *Taraxacum* (Lactuceae: Asteraceae) **634**

B. Crouau-Roy and I. Clisson Evolution of an Alu DNA element of type Sx in the lineage of primates and the origin of an associated tetranucleotide microsatellite **642**

T. Joobeur, N. Periam, M.C. de Vicente, G.J. King, and P. Arús Development of a second generation linkage map for almond using RAPD and SSR markers **649**

V. Subramanian, S. Gurtu, R.C. Nageswara Rao, and S.N. Nigam Identification of DNA polymorphism in cultivated groundnut using random amplified polymorphic DNA (RAPD) assay **656**

T. Lelley, M. Stachel, H. Grausgruber, and J. Vollmann Analysis of relationships between *Aegilops tauschii* and the D genome of wheat utilizing microsatellites **661**

A. Forneck, M.A. Walker, and R. Blaich Genetic structure of an introduced pest, grape phylloxera (*Daktulosphaira vitifoliae* Fitch), in Europe **669**

T. Axelsson, C.M. Bowman, A.G. Sharpe, D.J. Lydiate, and U. Lagercrantz Amphidiploid *Brassica juncea* contains conserved progenitor genomes **679**

E. Pestsova, M.W. Ganal, and M.S. Röder Isolation and mapping of microsatellite markers specific for the D genome of bread wheat **689**

O.R. Crasta, M.G. Francki, D.B. Bucholtz, H.C. Sharma, J. Zhang, R.-C. Wang, H.W. Ohm, and J.M. Anderson Identification and characterization of wheat–wheatgrass translocation lines and localization of barley yellow dwarf virus resistance **698**

M. Rosetto, T. de Filippis, M. Mandrioli, A. Zacharopoulou, P. Gourzi, A.G.O. Manetti, D. Marchini, and R. Dallai Ceratotoxins: Female-specific X-linked genes from the medfly, *Ceratitis capitata* **707**

G. Fedak, Q. Chen, R.L. Conner, A. Laroche, R. Petroski, and K.W. Armstrong Characterization of wheat–*Thinopyrum* partial amphiploids by meiotic analysis and genomic in situ hybridization **712**

COMMENTS

J. Sybenga Somatic segregation in rice **720**

R.R.-C. Wang, X. Li, and N.J. Chatterton Response to comment by J. Sybenga **723**

NOTE

W. Cao, G. Scoles, P. Hucl, and R.N. Chibbar Phylogenetic relationships of five morphological groups of hexaploid wheat (*Triticum aestivum* L. em Thell.) based on RAPD analysis **724**

October / octobre

P.B. Moens Editorial / Éditorial **iii**

ARTICLES

H. Zhang, S. Nasuda, and T.R. Endo Identification of AFLP markers on the satellite region of chromosome 1BS in wheat **729**

G.-X. Yu and R.P. Wise An anchored AFLP- and retrotransposon-based map of diploid *Avena* **736**

M.M. White and I.A. McLaren Copepod development rates in relation to genome size and 18S rDNA copy number **750**

H.-J. Li, B.-H. Guo, Y.-W. Li, L.-Q. Du, X. Jia, and C.-C. Chu Molecular cytogenetic analysis of intergeneric chromosomal translocations between wheat (*Triticum aestivum* L.) and *Dasypyrum villosum* arising from tissue culture **756**

M. Pillay, D.C. Nwakanma, and A. Tenkouano Identification of RAPD markers linked to A and B genome sequences in *Musa* L. **763**

M. Gao and R.N. Chibbar Isolation, characterization, and expression analysis of starch synthase IIa cDNA from wheat (*Triticum aestivum* L.) **768**

N. Meštrović, B. Mravinac, C. Juan, Đ. Ugarković, and M. Plohl Comparative study of satellite sequences and phylogeny of five species from the genus *Palorus* (Insecta, Coleoptera) **776**

A.J. Stocker and E. Gorab The chromosomes of *Rhynchosciara baschanti* (Diptera: Sciaridae): Molecular cytogenetic comparisons with taxa in the *americana*-like group **786**

K.M. Reed, K.M. Mendoza, and C.W. Beattie Comparative analysis of microsatellite loci in chicken and turkey **796**

A.J. Monforte and S.D. Tanksley Development of a set of near isogenic and backcross recombinant inbred lines containing most of the *Lycopersicon hirsutum* genome in a *L. esculentum* genetic background: A tool for gene mapping and gene discovery **803**

S. Rodríguez, B. Maestra, E. Perera, M. Díez, and T. Naranjo Pairing affinities of the B- and G-genome chromosomes of polyploid wheats with those of *Aegilops speltoides* **814**

A.G. McCubbin, C. Zuniga, and T.-h. Kao Construction of a binary bacterial artificial chromosome library of *Petunia inflata* and the isolation of large genomic fragments linked to the self-incompatibility (*S*-) locus **820**

P. van Baarlen, P.J. van Dijk, R.F. Hoekstra, and J.H. de Jong Meiotic recombination in sexual diploid and apomictic triploid dandelions (*Taraxacum officinale* L.) **827**

R. Almuly, B. Cavari, H. Ferstman, O. Kolodny, and B. Funkenstein Genomic structure and sequence of the gilthead seabream (*Sparus aurata*) growth hormone-encoding gene: Identification of minisatellite polymorphism in intron I **836**

M.G. Redinbaugh, T.A. Jones, and Y. Zhang Ubiquity of the St chloroplast genome in St-containing Triticeae polyploids **846**

M. Hühn Maximum likelihood vs. minimum chi-square—A general comparison with applications to the estimation of recombination fractions in two-point linkage analysis **853**

I.I. Kiknadze, M.G. Butler, V.V. Golygina, J. Martin, W.F. Wülker, J.E. Sublette, and M.F. Sublette Intercontinental karyotypic differentiation of *Chironomus entis* Shobanov, a Holarctic member of the *C. plumosus* group (Diptera, Chironomidae) **857**

B. Liu and J.F. Wendel Retrotransposon activation followed by rapid repression in introgressed rice plants **874**

L.J. Lombardía, J.L. Cadahía-Rodríguez, M.A. Freire-Picos, M.I. González-Siso, A.M. Rodríguez-Torres, and M.E. Cerdán Transcript analysis of 203 novel genes from *Saccharomyces cerevisiae* in *hap1* and *rox1* mutant backgrounds **881**

S.A. Rogers and K.P. Pauls Ty1-*copia*-like retrotransposons of tomato (*Lycopersicon esculentum* Mill.) **887**

T.R. Gregory Nucleotypic effects without nuclei: Genome size and erythrocyte size in mammals **895**

S. Frello and J.S. Heslop-Harrison Repetitive DNA sequences in *Crocus vernus* Hill (Iridaceae): The genomic organization and distribution of dispersed elements in the genus *Crocus* and its allies **902**

L. Barbour, Y. Zhu, and W. Xiao Improving synthetic lethal screens by regulating the yeast centromere sequence **910**

Y. Sang and G.H. Liang Comparative physical mapping of the 18S–5.8S–26S rDNA in three sorghum species **918**

December / décembre

ARTICLES

S. Rodríguez, E. Perera, B. Maestra, M. Díez, and T. Naranjo Chromosome structure of *Triticum timopheevii* relative to *T. turgidum* **923**

J.-Z. Wei, N.J. Chatterton, S.R. Larson, and R.R.-C. Wang Linkage mapping and nucleotide polymorphisms of the 6-SFT gene of cool-season grasses **931**

L.W. Beukeboom and L.P. Pijnacker Automictic parthenogenesis in the parasitoid *Venturia canescens* (Hymenoptera: Ichneumonidae) revisited **939**

N. Cuñado, J. Barrios, and J.L. Santos Organization of highly repeated sequences in surface-spread pachytene chromosomes of rye **945**

A. Haoudi and J.M. Mason Reverse transcriptase can stabilize or destabilize the genome **949**

S. Sakatani, R. Takahashi, Y. Okuda, A. Aizawa, A. Otsuka, A. Komatsu, and M. Ono Structure, expression, and conserved physical linkage of mouse testicular cell adhesion molecule-1 (*TCAM-1*) gene **957**

Y. Danin-Poleg, N. Reis, S. Baudracco-Arnas, M. Pitrat, J.E. Staub, M. Oliver, P. Arus, C.M. deVicente, and N. Katzir Simple sequence repeats in *Cucumis* mapping and map merging **963**

M.S. Negi, A. Singh, and M. Lakshmikumaran Genetic variation and relationship among and within *Withania* species as revealed by AFLP markers **975**

S.S. Mukhopadhyay, F.G. Sheikh, and P. Gupta In vitro binding of cattle *Pst*I SINE with a 33-kDa nuclear protein **981**

D. Bhattramakki, J. Dong, A.K. Chhabra, and G.E. Hart An integrated SSR and RFLP linkage map of *Sorghum bicolor* (L.) Moench **988**

Y.H. Park, S. Sensoy, C. Wye, R. Antonise, J. Peleman, and M.J. Havey A genetic map of cucumber composed of RAPDs, RFLPs, AFLPs, and loci conditioning resistance to papaya ringspot and zucchini yellow mosaic viruses **1003**

S. Kuhn, V. Sievert, and W. Traut The sex-determining gene *doublesex* in the fly *Megaselia scalaris*: Conserved structure and sex-specific splicing **1011**

A. Belyayev, O. Raskina, A. Korol, and E. Nevo Coevolution of A and B genomes in allotetraploid *Triticum dicoccoides* **1021**

H.B.M. Ali, A. Meister, and I. Schubert DNA content, rDNA loci, and DAPI bands reflect the phylogenetic distance between *Lathyrus* species **1027**

G. Piperidis, M.J. Christopher, B.J. Carroll, N. Berding, and A. D'Hont Molecular contribution to selection of intergeneric hybrids between sugarcane and the wild species *Erianthus arundinaceus* **1033**

Z.N. Wang, A. Hang, J. Hansen, C. Burton, C.A. Mallory-Smith, and R.S. Zemetra Visualization of A- and B-genome chromosomes in wheat (*Triticum aestivum* L.) × jointed goatgrass (*Aegilops cylindrica* Host) backcross progenies **1038**

M. Molnár-Láng, G. Linc, A. Logojan, and J. Sutka Production and meiotic pairing behaviour of new hybrids of winter wheat (*Triticum aestivum*) × winter barley (*Hordeum vulgare*) **1045**

G.J. Muehlbauer, O. Riera-Lizarazu, R.G. Kynast, D. Martin, R.L. Phillips, and H.W. Rines A maize chromosome 3 addition line of oat exhibits expression of the maize homeobox gene *liguleless3* and alteration of cell fates **1055**

A.M. González-Tizón, A. Martínez-Lage, I. Rego, J. Ausió, and J. Méndez DNA content, karyotypes, and chromosomal location of 18S-5.8S-28S ribosomal loci in some species of bivalve molluscs from the Pacific Canadian coast **1065**

D. Gao, T. Schmidt, and C. Jung Molecular characterization and chromosomal distribution of species-specific repetitive DNA sequences from *Beta corolliflora*, a wild relative of sugar beet **1073**

NOTES

M.T. Sadder, N. Ponelies, U. Born, and G. Weber Physical localization of single-copy sequences on pachytene chromosomes in maize (*Zea mays* L.) by chromosome in situ suppression hybridization **1081**

Y. L'Homme, A. Séguin, and F.M. Tremblay Different classes of retrotransposons in coniferous spruce species **1084**

COMMENT

T.-Y. Chiang Lineage sorting accounting for the disassociation between chloroplast and mitochondrial lineages in oaks of southern France **1090**

Obituary / Nécrologie Dr. Michael Smith, Nobel Laureate **iii**

Note of appreciation / Note de reconnaissance **iv**

Author index for Volume 43 / Index des auteurs pour le volume 43 **AI-1**

Contents for Volume 43 / Sommaire pour le volume 43 **C-1**